

LEGEND RETAINING PALLET A BLOCKS □ RETAINING PALLET B BLOCKS

RETAINING PALLET C BLOCKS



	6 x 1			4 x 0.5			4 x 1			5.5 x 1		
				x 0.5	2 x 0.5		77.1					
		5 x 1			5.5 x 1				4 x 1		3 x 1	
		4.5 x 1	3 x	1	3.5 x	1	2 x 0.5			4 x 0.5		2 x 0.5
l	4.5 X I		3.8	1	3.5 X	1	3 x 0.5					
		3.5 x 1		4.5 x 1			4×2			5 x 1.5		
		6 x 1		3.5 x 1			7.2			5 x 1		

PROFILE VIEW



NOTES:

- USE PALLET A AND B BLOCKS AS SHOWN TO CREATE THE FIRST LAYER OF THE CORNER. ABUT THE END OF THE B PALLET BLOCK TO THE FACE OF THE A PALLET BLOCK.
- INTERLACE ALTERNATING ROWS AT INSIDE CORNER. HIDDEN PORTION OF INTERLACED BLOCK SHOWN IN PROFILE VIEW.
- SET BLOCKS BACK 3 in (76 mm) FOR EVERY 12 in (305 mm) OF HEIGHT INCREASE TO ACCOUNT FOR WALL BATTER.
- TRIM SMALL PARTS OF THE CORNER BLOCKS NEAR THE BACK OF THE WALL TO AVOID INTERFERENCE WITH THE SHEAR HEELS OF ADJACENT BLOCKS.
- THIS DETAIL SHOWS A 90° INSIDE CORNER COMPOSED OF (4) A PALLETS, (4) B PALLETS, AND (2) C PALLETS
- BLOCK SIZES AND PLACEMENT SHOWN ARE FOR REFERENCE ONLY. INDIVIDUAL BLOCKS WILL VARY WITH INSTALLATION PATTERN.
- THIS DRAWING IS FOR REFERENCE ONLY. DETERMINATION OF THE SUITABILITY AND/OR MANNER OF USE OF ANY DETAILS CONTAINED IN THIS DOCUMENT IS THE SOLE RESPONSIBILITY OF THE DESIGN ENGINEER OF RECORD. FINAL PROJECT DESIGNS, INCLUDING ALL CONSTRUCTION DETAILS, INTERNAL AND EXTERNAL STABILITY, AND DRAINAGE, SHALL BE PREPARED BY A LICENSED PROFESSIONAL ENGINEER USING THE ACTUAL CONDITIONS OF THE PROPOSED SITE.

90° INSIDE CORNER

(NO SCALE)

DRAWN BY: RPG	TITLE:
APPROVED BY:	OON INDIDE CORNED DETAIL
LBH	90° INSIDE CORNER DETAIL
DATE:	
15-OCT-2025	
SHEET NO.:	DRAWING FILE:
1 of 1	90_Degree_Inside_Corner.dwg

