


# PIPE INSTALLED THROUGH OUTCROPPING WALL DETAIL

NOT TO SCALE

REMOVE ONLY THE MINIMUM NUMBER OF BLOCKS REQUIRED TO FIT PIPE THROUGH WALL. (OUTCROPPING WALL LAYOUT VARIES)

FIELD CUT BLOCKS OR ADJUST LAYOUT TO ALLOW FOR CONTROL JOINT AT BOTH SIDES OF THE PIPE COLLAR. (DO NOT CUT BLOCKS THAT HAVE A HEIGHT GREATER THAN 12 in (305 mm))



PIPE PROTRUDING THROUGH WALL (PIPE SIZE VARIES).

REINFORCED CONCRETE COLLAR (CAST-IN-PLACE AROUND PIPE).

ELEVATION

LOWER COURSES OF OUTCROPPING BOCKS.


FIELD CUT BLOCKS OR ADJUST LAYOUT TO ALLOW FOR PIPE COLLAR FORMING

NON-WOVEN GEOTEXTILE FABRIC AROUND PIPE AND BEHIND COLLAR

REINFORCED CONCRETE COLLAR (CAST-IN-PLACE AROUND PIPE).

PIPE PROTRUDING THROUGH WALL (PIPE SIZE VARIES).

USE ADEQUATE MEASURES TO ADDRESS SCOUR, OUTFALL PROTECTION, RUNOFF, AND ANY OTHER BOTTOM OF WALL CONDITIONS



CROSS SECTION

This drawing is for reference only. Determination of the suitability and/or manner of use of any details contained in this document is the sole responsibility of the design engineer of record. Final project designs, including all construction details, internal and external stability, and drainage, shall be prepared by a licensed Professional Engineer using the actual conditions of the proposed site.

DRAWN BY: EGS	TITLE:
APPROVED BY: LBR	Pipe Installed Through Outcropping Wall Detail
DATE: 02-MAR-2026	
SHEET NO. : 1 of 1	DRAWING FILE: Pipe_Installed_Through_Outcropping_Wall_Detail_02MAR2026.dwg

DRAWN BY: EGS	TITLE:
APPROVED BY: LBR	Pipe Installed Through Outcropping Wall Detail
DATE: 02-MAR-2026	
SHEET NO. : 1 of 1	DRAWING FILE: Pipe_Installed_Through_Outcropping_Wall_Detail_02MAR2026.dwg

**ROSETTA**  
HARDSCAPES, LLC

8212 M-119 HARBOR SPRINGS, MI 49740  
877-777-6558 • www.rosettahardscapes.com